

AN519 Min/Max values for the MS5535-C

LIMITS FOR COEFFICIENTS AND FOR THE CALCULATED RESULTS OF MS5535-C

Assumed pressure and temperature range: 0...14 bar, -40...125 °C.
For definitions, see data sheet of MS5535-C.

MAXIMUM VALUES FOR C1-C6

	min	typ	max
C1 (13 bit)	0	2391	8191
C2 (13 bit)	0	4888	8191
C3 (10 bit)	0	385	1023
C4 (9 bit)	0	221	511
C5 (12 bit)	0	1689	4095
C6 (7 bit)	0	58	127

MAXIMUM VALUES FOR D1, D2

	min	typ	max
D1	0	17000	40000
D2	0	27000	45000



AN519 Min/Max values for the MS5535-C

MAXIMUM VALUES FOR CALCULATION RESULTS

Pmin = 0 mbar Pmax = 14 bar
Tmin = -40 °C Tmax = +125 °C Tref = +20 °C

	min	typ	max
UT1=8*C5+10000	10000	28016	42760
dUT=D2-UT1	-11400	0	12350

dTmin = (Tmin -Tref)*190TLSB/°C

dTmax = (Tmax-Tref)*190TLSB/°C

OFF=C2+10000+(C4-250)*dUT/2^12	9246	14888	18887
--------------------------------	------	-------	-------

OFFmin =C2min +10000+(C4min -250)*dTmax/2^12

OFFmax=C2max+10000+(C4max-250)*dTmin /2^12

SENS=C1/2+(C3+200)*dUT/2^13+3000	1298	4196	8939
----------------------------------	------	------	------

Sensmin =C1min /2+(C3max+200)*dTmin /2^13+3000

Sensmax=C1max/2+(C3max+200)*dTmax/2^13+3000

P (0...14 bar, with 1 mbar resolution)	0		14000
--	---	--	-------

TEMP=200+dT*(C6+100)/2^11 (-40...85 °C, with 0.1 °C resolution, in 0.1 °C units)	-400		1250
--	------	--	------

AN519 Min/Max values for the MS5535-C

REVISION HISTORY

Date	Revision	Type of changes
23.04.2008	01	Initial document
27.01.2010	02	Change to MEAS layout
17.08.2011	03	Insertion of the logo MEAS TM. Modification of the Shenzhen ZIP code to 518057. Modification of the north America contact to Fremont, modification of the Europe company legal entity to Sàrl and correction of the Europe email and website addresses. Modification of the document number from 0005535C1733 to applicno1733.

FACTORY CONTACTS

NORTH AMERICA

Measurement Specialties
45738 Northport Loop West
Fremont, CA 94538

Tel: +1 800 767 1888
Fax: +1 510 498 1578
e-mail: pfg.cs.amer@meas-spec.com
Website: www.meas-spec.com

EUROPE

MEAS Switzerland Sàrl
Ch. Chapons-des-Prés 11
CH-2022 Bevaix

Tel: +41 32 847 9550
Fax: + 41 32 847 9569
e-mail: sales.ch@meas-spec.com
Website: www.meas-spec.com

ASIA

Measurement Specialties (China), Ltd.
No. 26 Langshan Road
Shenzhen High-Tech Park (North)
Nanshan District, Shenzhen, 518057
China

Tel: +86 755 3330 5088
Fax: +86 755 3330 5099
e-mail: pfg.cs.asia@meas-spec.com
Website: www.meas-spec.com

The information in this sheet has been carefully reviewed and is believed to be accurate; however, no responsibility is assumed for inaccuracies. Furthermore, this information does not convey to the purchaser of such devices any license under the patent rights to the manufacturer. Measurement Specialties, Inc. reserves the right to make changes without further notice to any product herein. Measurement Specialties, Inc. makes no warranty, representation or guarantee regarding the suitability of its product for any particular purpose, nor does Measurement Specialties, Inc. assume any liability arising out of the application or use of any product or circuit and specifically disclaims any and all liability, including without limitation consequential or incidental damages. Typical parameters can and do vary in different applications. All operating parameters must be validated for each customer application by customer's technical experts. Measurement Specialties, Inc. does not convey any license under its patent rights nor the rights of others.



your distributor

AMSYS GmbH & Co.KG

An der Fahrt 4, 55124 Mainz, Germany

Tel. +49 (0) 6131 469 875 0

info@amsys.de | www.amsys.de